


GOAT 2019 SERIES



SIZE	TALLA	15,5"	17,5"	19"	20.5"
A Top tube length	Tubo horizontal	570	600	620	650
B Head tube length	Tubo de dirección	100	105	120	135
C Seat tube angle	Ángulo del sillín	73,8°	73,8°	73,8°	73,8°
D Head tube angle	Ángulo de dirección	68°	68°	68°	68°
E BB drop	Caida eje pedalier	40	40	40	40
F Chain stay	Vaina	438	438	438	438
G Wheel base	Distancia entre ejes	1106	1137	1158	1190
H Front center	Longitud eje pedalier a horquilla delantera	671	701,6	723	755
I Fork length	Longitud horquilla	506	506	506	506
J Fork rake	Avance de la horquilla	46	46	46	46
K Seat tube total length	Longitud tubo sillin	400	445	483	520
L BB height	Altura pedalier	323	323	323	323
M Stack	Stack	585,5	590	604	618
N Reach	Reach	400	428,5	444,5	470,5

measures in mm / medidas en mm



GOAT frame

GOAT cuadro

Sizes	Tallas	15.5" 17.5" 19" 20.5"
Headset	Dirección	1-18" -1.5" tapered, IS42upper -IS52 lower
Seatpost diameter	Diámetro tija sillín	31.6 mm
Seat collar	Diámetro cierre sillín	34.9mm
Bottom bracket	Caja pedalier	BB92
Rear brake mount	Soporte freno disco	Post Mount
Rear spacing	Espaciado trasero	148mm BOOST
Derailleur hanger	Pata cambio	SHT.172507
Bottle mount	Soportes bidón	1
Internal cable routing	Guiado interno de cables	Brakes, gears, rear shock lockout & dropper seatpost
Allowed wheel/tire size	Tamaño rueda/cubierta permitido	29 x 2.5" / 27.5" x 2.5"
Front suspension travel	Recorrido suspension delantera	100-120mm
Rear shock eye-to-eye length	Longitud amortiguador	165mm
Rear shock stroke	Recorrido amortiguador	38mm
Rear suspension travel	Recorrido suspension trasera	100mm
Weight	Peso	1,995kg (size 17,5")



GOAT

PARTS & OPTIONS / PARTES Y OPCIONES

		GOAT G4	GOAT G3	GOAT G2	GOAT G1
WEIGHT (size 17,5")	PESO (talla 17,5")	10,7kg / 10,9kg	11,3kg	12,5kg	12,2kg
FRAME SET	CUADRO-HORQUILLA				
FRAME	CUADRO	SPICLES GOAT CF FRAME	SPICLES GOAT CF FRAME	SPICLES GOAT CF FRAME	SPICLES GOAT CF FRAME
REAR SHOCK	AMORTIGUADOR	ROCK SHOX MONARCH XX 165x 38mm, remote lever	ROCK SHOX MONARCH XX 165x 38mm, remote lever	ROCK SHOX MONARCH XX 165x 38mm, remote lever	ROCK SHOX MONARCH R-TUNE 165x 38mm
FORK	HORQUILLA	FOX 32 STEP-CAST PERFORMANCE 29", 100mm, BOOST / ROCKSHOX SID RL 29", 100mm, BOOST, OneLoc lockout	ROCKSHOX REBA RL 29". BOOST, SOLO AIR, 100mm, MAXEL LITE 15mm axle, 1-1/8" -1,5" tapered, OneLoc lockout	ROCKSHOX JUDY SILVER TK 29".120mm, BOOST 15mm axle, 1-1/8" -1,5" tapered	ROCKSHOX JUDY SILVER TK 29".120mm, BOOST 15mm axle, 1-1/8" -1,5" tapered
WHEELS	RUEDAS				
REAR WHEEL	RUEDA	DT SWISS X 1900 SPLINE tubeless ready	DT SWISS X 1900 SPLINE tubeless ready	DT SWISS X 1900 SPLINE tubeless ready	XLC EVO HUB thru axle+ DT SWISS D466 RIM, TL ready
TIRES	CUBIERTA	MAXXIS ASPEN 29x2.10" TL ready	MAXXIS ASPEN 29x2.10" TL ready	SCHWALBE ROCKET RON 29x2.25" TL ready	SCHWALBE ROCKET RON 29x2.25" TL ready
DRIVETRAIN	GRUPO				
CRANKSET	BIELAS /PLATOS	SRAM X01 EAGLE DUB 175mm 11/12s, 32t	SRAM GX EAGLE DUB 175mm 11/12s, 32t	SRAM GX EAGLE DUB 175mm 11/12s, 32t	SRAM NX EAGLE DUB 175mm 11/12s, 32t
REAR DERAILLEUR	CAMBIO	SRAM X01 EAGLE 12s	SRAM GX EAGLE 12s	SRAM GX EAGLE 12s	SRAM NX EAGLE 12s
CASSETTE	CASSETTE	SRAM X01 EAGLE 10-50t, 12s	SRAM GX EAGLE 10-50t, 12s	SRAM GX EAGLE 10-50t, 12s	SRAM NX EAGLE 10-50t, 12s
SHIFTER (REAR)	MANDO TRASERO	SRAM X01 EAGLE TRIGGER 1x12s	SRAM GX EAGLE TRIGGER 1x12s	SRAM GX EAGLE TRIGGER 1x12s	SRAM NX EAGLE TRIGGER 1x12s
CHAIN	CADENA	SRAM PC X01 EAGLE 12s, Hollow pin	SRAM PC GX EAGLE 12s, Hollow pin	SRAM PC GX EAGLE 12s, Hollow pin	SRAM PC NX EAGLE 12s
BOTTOM BRACKET	PEDALIER	SRAM DUB PRESSFIT BB92	SRAM DUB PRESSFIT BB92	SRAM DUB PRESSFIT BB92	SRAM DUB PRESSFIT BB92
BRAKE SET	FRENOS				
BRAKES	FRENOS	SHIMANO XT M8000	SHIMANO SLX M7000	SHIMANO MT400	SHIMANO MT400
ROTORS	DISCOS	SHIMANO SMRT64 160 mm, CENTER LOCK	SHIMANO SMRT64 160 mm, CENTER LOCK	SHIMANO SMRT64 160 mm, CENTER LOCK	SHIMANO SMRT64 160 mm, CENTER LOCK
COMPONENTS	COMPONENTES				



HEADSET	DIRECCIÓN	INTEGRATED 1-1/8"-1,5", ACB sealed bearing	INTEGRATED 1-1/8"-1,5", ACB sealed bearing	INTEGRATED 1-1/8"-1,5", ACB sealed bearing	INTEGRATED 1-1/8"-1,5", ACB sealed bearing
SEATPOST CLAMP	CIERRE SILLÍN	ALUMINIUM 34,9mm	ALUMINIUM 34,9mm	ALUMINIUM 34,9mm	ALUMINIUM 34,9mm
SEATPOST	TIJA SILLÍN	XLC IRC All Mountain, Telescopic, internal cable remote lever	XLC IRC All Mountain, Telescopic, internal cable remote lever	XLC IRC All Mountain, Telescopic, internal cable remote lever	XLC ALL RIDE 31,6mm , 400mm
SADDLE	SILLÍN	SELLE ROYAL MATCH CLASSIC	SELLE ROYAL MATCH CLASSIC	SELLE ROYAL MATCH CLASSIC	SELLE ROYAL MATCH CLASSIC
HANDLEBAR	MANILLAR	SPICLES CARBON FLAT BAR 680 x 31,8mm	SPICLES CARBON FLAT BAR 680 x 31,8mm	XLC PRO ALL MOUNTAIN 12°, 31,8mm, 760mm	XLC PRO ALL MOUNTAIN 12°, 31,8mm, 760mm
STEM	POTENCIA	XLC ALL RIDE, 70mm, +/-7°, 31.8mm	XLC ALL RIDE, 70mm, +/-7°, 31.8mm	XLC ALL RIDE, 70mm, +/-7°, 31.8mm	XLC ALL RIDE, 70mm, +/-7°, 31.8mm
GRIPS	PUÑOS	T-One Dot, LOCK-ON	T-One Dot, LOCK-ON	T-One Dot, LOCK-ON	T-One Dot, LOCK-ON
SIZES	TALLAS	15.5" 17.5" 19" 20.5"	15.5" 17.5" 19" 20.5"	15.5" 17.5" 19" 20.5"	15.5" 17.5" 19" 20.5"