


TAKTUA 2019 SERIES



SIZE	TALLA	15,5"	17,5"	19"	21"
A Top tube length	Tubo horizontal	580	600	620	640
B Head tube length	Tubo de dirección	100	105	110	115
C Seat tube angle	Ángulo del sillín	72,5°	72,5°	72,5°	72,5°
D Head tube angle	Ángulo de dirección	69,5°	69,5°	69,5°	69,5°
E BB drop	Caida eje pedalier	60	60	60	60
F Chain stay	Vaina	440	440	440	440
G Wheel base	Distancia entre ejes	1088	1098	1108	1118
H Front center	Longitud eje pedalier a horquilla delantera	644	663	684	704
I Fork length	Longitud horquilla	506	506	506	506
J Fork rake	Avance de la horquilla	45	45	45	45
K Seat tube total length	Longitud tubo sillín	395	440	483	533
L BB height	Altura pedalier	303	303	303	303
M Stack	Stack	612	618	632	641
N Reach	Reach	387	404	420	438

measures in mm / medidas en mm



TAKTUA frame

TAKTUA cuadro

Sizes	Tallas	15.5" 17.5" 19" 21"
Headset	Dirección	1-18" -1.5" tapered, IS42upper -IS52 lower
Seatpost diameter	Diámetro tija sillín	31.6 mm
Seat collar	Diámetro cierre sillín	37.5mm
Front derailleur type	Desviador, tipo	down pull/Shimano side swing pull
Bottom bracket	Caja pedalier	BB92
Di2 compatible	Di2 compatible	yes
Rear brake mount	Soporte freno disco	Post Mount
Rear spacing	Espaciado trasero	142mm (w/ 12mm thru axle hanger)/ 135mm (w/ 9mm QR hanger)
Derailleur hanger	Pata cambio	SHT.172503 (12mm thru axle), SHT.172504 (9mm QR),
Bottle mount	Soportes bidón	2
Rack braze-on	Soporte portabultos	no
Internal cable routing	Guiado interno de cables	brakes & gears
Allowed wheel/tire size	Tamaño rueda/cubierta permitido	29 x 1.9 -2.5"
Suitable for suspension forks	Apto para horquillas de suspensión	yes
Weight	Peso	1,35kg (size 17,5")

SPICLES CF 29 FORK

SPICLES CF 29 FORK

Fork length	Longitud horquilla	482mm
Stem clamp	Diámetro potencia	Ø 28.6mm
Crown race	Diámetro tubo dirección	Ø 40mm
Front brake mount	Soporte freno disco	Post Mount
Front spacing	Espaciado delantero	100 x 15mm thru axle
Steerer options	Tubo dirección	1-8" - 1,5" tapered, carbon
Weight	Peso	565G

TAKTUA

PARTS & OPTIONS / PARTES Y OPCIONES

		TAKTUA T4	TAKTUA T3	TAKTUA T2	TAKTUA T1
WEIGHT (size 17,5")	PESO (talla 17,5")	9,6kg	10,2kg	10,5kg	11,2kg
FRAME SET	CUADRO-HORQUILLA				
FRAME	CUADRO	SPICLES TAKTUA CF FRAME	SPICLES TAKTUA CF FRAME	SPICLES TAKTUA CF FRAME	SPICLES TAKTUA CF FRAME
FORK	HORQUILLA	ROCKSHOX SID RL 29" .,BOOST, SOLO AIR, 100mm, MAXEL LITE 15mm axle, 1-1/8" -1,5" tapered, OneLoc lockout	ROCKSHOX REBA RL 29". BOOST, SOLO AIR, 100mm, MAXEL LITE 15mm axle, 1-1/8" -1,5" tapered, OneLoc lockout	MANITOU MARKHOR 29, 100mm, 15mm axle, 1-1/8" -1,5" tapered	SR SUNTOUR RAIDON XC air RLR QLC 29", thru axle
WHEELS	RUEDAS				
REAR WHEEL	RUEDA	DT SWISS X 1900 SPLINE tubeless ready	DT SWISS X 1900 SPLINE tubeless ready	DT SWISS X 1900 SPLINE tubeless ready	XLC EVO HUB thru axle+ DT SWISS D466 RIM, TL ready
TIRES	CUBIERTA	MAXXIS ASPEN 29x2.10" TL ready	MAXXIS ASPEN 29x2.10" TL ready	MAXXIS ASPEN 29x2.10" TL ready	MAXXIS ASPEN 29x2.10" TL ready
DRIVETRAIN	GRUPO				
CRANKSET	BIELAS /PLATOS	SRAM GX EAGLE DUB 175mm 11/12s, 32t	SHIMANO SLX, 175MM , 1X11s, 32t	SHIMANO SLX, 175mm , 1X11s,32t	SHIMANO DEORE 6000, 175mm , 2X10s, 36-26t
REAR DERAILLEUR	CAMBIO	SRAM GX EAGLE 12s	SHIMANO XT 11s.SHADOW+ GS DIRECT	SHIMANO SLX 11s.SHADOW GS DIRECT	SHIMANO XT 10s.SHADOW+ GS DIRECT
FRONT DERAILLEUR	DESVIADOR				SHIMANO DEORE DYNA-SYS
CASSETTE	CASSETTE	SRAM GX EAGLE 10-50t, 12s	SUNRACE X8 11-50 11s	SUNRACE X8 11-50 11s	SHIMANO DEORE 11-42 10s
SHIFTER (REAR)	MANDO TRASERO	SRAM GX EAGLE TRIGGER 1x12s	SHIMANO SLX 1x11s RAPIDFIRE PLUS	SHIMANO SLX 1x11s RAPIDFIRE PLUS	SHIMANO DEORE 2x10s RAPIDFIRE PLUS
SHIFTER (FRONT)	MANDO DELANTERO				SHIMANO RAPIDFIRE PLUS DEORE
CHAIN	CADENA	SRAM PC EAGLE 11s, Hollow pin	SHIMANO HG601 DYNA-SYS 11s	SHIMANO HG601 DYNA-SYS 11s	SHIMANO HG54 DYNA-SYS 10s
BOTTOM BRACKET	PEDALIER	SRAM DUB PRESSFIT BB92	SHIMANO BB-71	SHIMANO BB-71	SHIMANO BB-71
BRAKE SET	FRENOS				
BRAKES	FRENOS	SHIMANO SLX M7000	SHIMANO SLX M7000	SHIMANO MT400	SHIMANO MT400
ROTORS	DISCOS	SHIMANO SMRT64 160 mm, CENTER LOCK	SHIMANO SMRT64 160 mm, CENTER LOCK	SHIMANO SMRT64 160 mm, CENTER LOCK	SHIMANO SMRT64 160 mm, CENTER LOCK



COMPONENTS	COMPONENTES				
HEADSET	DIRECCIÓN	INTEGRATED 1-1/8"-1,5", ACB sealed bearing	INTEGRATED 1-1/8"-1,5", ACB sealed bearing	INTEGRATED 1-1/8"-1,5", ACB sealed bearing	INTEGRATED 1-1/8"-1,5", ACB sealed bearing
SEATPOST CLAMP	CIERRE SILLÍN	ALUMINIUM 37,5mm	ALUMINIUM 37,5mm	ALUMINIUM 37,5mm	ALUMINIUM 37,5mm
SEATPOST	TIJA SILLÍN	SPICLES CARBON 400mm 31,6mm	XLC ALL RIDE 31,6mm , 400mm	XLC ALL RIDE 31,6mm , 400mm	XLC ALL RIDE 31,6mm , 400mm
SADDLE	SILLÍN	SELLE ROYAL MATCH CLASSIC	SELLE ROYAL MATCH CLASSIC	SELLE ROYAL MATCH CLASSIC	SELLE ROYAL MATCH CLASSIC
HANDLEBAR	MANILLAR	SPICLES CARBON FLAT BAR 680 x 31,8mm	XLC PRO ALL MOUNTAIN 12°, 31,8mm, 760mm	XLC PRO ALL MOUNTAIN 12°, 31,8mm, 760mm	XLC PRO ALL MOUNTAIN 12°, 31,8mm, 760mm
STEM	POTENCIA	XLC ALL RIDE, 70mm, +/-7°, 31.8mm	XLC ALL RIDE, 70mm, +/-7°, 31.8mm	XLC ALL RIDE, 70mm, +/-7°, 31.8mm	XLC ALL RIDE, 70mm, +/-7°, 31.8mm
GRIPS	PUÑOS	T-One Dot, LOCK-ON	T-One Dot, LOCK-ON	T-One Dot, LOCK-ON	T-One Dot, LOCK-ON
SIZES	TALLAS	15.5" 17.5" 19" 21"	15.5" 17.5" 19" 21"	15.5" 17.5" 19" 21"	15.5" 17.5" 19" 21"



TAKTUA TR2

TAKTUA TR1

WEIGHT (size 17,5")	PESO (talla 17,5")	8,6kg	8,6kg
FRAME SET	CUADRO-HORQUILLA		
FRAME	CUADRO	SPICLES TAKTUA CF FRAME	SPICLES TAKTUA CF FRAME
FORK	HORQUILLA	SPICLES CF 29 FORK, ,1-1/8"-1,5" tapered ,15mm thru axle, carbon steerer 100mm hub spacing	SPICLES CF 29 FORK, ,1-1/8"-1,5" tapered ,15mm thru axle, carbon steerer 100mm hub spacing
WHEELS	RUEDAS		
REAR WHEEL	RUEDA	DT SWISS X 1900 SPLINE tubeless ready	DT SWISS X 1900 SPLINE tubeless ready
TIRES	CUBIERTA	MAXXIS ASPEN 29x2.10" TL ready	MAXXIS ASPEN 29x2.10" TL ready
DRIVETRAIN	GRUPO		
CRANKSET	BIELAS /PLATOS	SHIMANO XT, 175mm , 1X11s, 32t	SRAM GX EAGLE GXP 175mm 11/12s, 32t
REAR DERAILLEUR	CAMBIO	SHIMANO XT 11s.SHADOW+ GS DIRECT	SRAM GX EAGLE 12s
CASSETTE	CASSETTE	SHIMANO XT 11-46 11s	SRAM GX EAGLE 10-50t, 12s
SHIFTER (REAR)	MANDO TRASERO	SHIMANO XT 11s RAPIDFIRE PLUS	SRAM GX EAGLE TRIGGER 12s
CHAIN	CADENA	SHIMANO HG601 DYNA-SYS 11s	SRAM PC EAGLE 11s, Hollow pin
BOTTOM BRACKET	PEDALIER	SHIMANO BB-71	SRAM DUB PRESSFIT BB92
BRAKE SET	FRENOS		
BRAKES	FRENOS	SHIMANO XT M8000	SHIMANO SLX M7000
ROTORS	DISCOS	SHIMANO XT ICE-TECH 160 mm	SHIMANO SMRT64 160 mm, CENTER LOCK
COMPONENTS	COMPONENTES		
HEADSET	DIRECCIÓN	INTEGRATED 1-1/8"-1,5", ACB sealed bearing	INTEGRATED 1-1/8"-1,5", ACB sealed bearing
SEATPOST CLAMP	CIERRE SILLÍN	ALUMINIUM 37,5mm	ALUMINIUM 37,5mm



SEATPOST	TIJA SILLÍN	SPICLES CARBON 400mm 31,6mm	SPICLES CARBON 400mm 31,6mm
SADDLE	SILLÍN	PRO CONDOR AF 132mm	SELLE ROYAL MATCH CLASSIC
HANDLEBAR	MANILLAR	SPICLES CARBON FLAT BAR 680 x 31,8mm	SPICLES CARBON FLAT BAR 680 x 31,8mm
STEM	POTENCIA	XLC ALL RIDE, 70mm, +/-7°, 31.8mm	XLC ALL RIDE, 70mm, +/-7°, 31.8mm
GRIPS	PUÑOS	T-One Dot, LOCK-ON	T-One Dot, LOCK-ON
SIZES	TALLAS	15.5" 17.5" 19" 21"	15.5" 17.5" 19" 21"

We reserve the right to modify the characteristics of our products, including equipment, colors and materials without prior notice. / Nos reservamos el derecho a modificar las características de nuestros productos, incluido el equipamiento, colores y materiales sin previo aviso.